

## Technical data of hall 8

hall-level	construction	gross-area m <sup>2</sup>	hall dimensions		hall floor type	load-bearing capacity kN/m <sup>2</sup> *6	column dimensions in cm l x w
			l x w *5 (m)	h (m)			
8.0	reinforced concrete skeleton structure	30223	181 x 181	11,75 look also hall cranes	stelcon slabs on sand with floor channels/ supply pits	25 (SLW 30) *3	191 x 116

hall-level	ceiling-grid	suspension from the hall ceiling	daylight	Lighting (Lux)	heating, air-conditioning, ventilation	fire alarm system
8.0	none	yes *4	available	400	air heating/ partial air-conditioning	sprinkler

### lifts

lifts no.: *1	load-bearing capacity kg	loading area cabin *2 w x l (m)	door dimensions w x h (m)
A 801 L	3000	1,70 x 2,40	1,80 x 185
A 802 G	100	-	-
A 803 G	100	-	-
A 804 G	100	-	-
A 805 G	100	-	-

### hall doors

door no.	w x h (m)
Gate 1	4.50 x 4,35
Gate 2	4.50 x 4,35
Gate 3	4,70 x 4,35
Gate 4	4.50 x 4,35
Gate 5	4.50 x 4,35
Gate 6	4.50 x 4,35
Gate 7	6,80 x 3,60 -7,60
Gate 9	4,70 x 3,55

### hall cranes

hall-level	lifting capacity	number	clearance to bottom edge of hall cranes
8.0	98,1kN (10t)	5	9,45 m

\*1 G= Gastronomy lift F= Firemen's lift L= Material lift P= Passanger Lift

\*2 Loading area is not cabin dimension!

\*3 SLW 30 (heavy trucks according) DIN 1072!

\*4 See ceiling-load plan for summer/ winter (Service Infrastructure)

\*5 Hall dimensions are not gross exhibition area!

\*6 Please refer to the load-bearing capacity plan for the floor(s) und to the list of permissible lifting vehicles - Construction Management

As of 08-03-2023 (V 31 Technical Poject Management Fairs)

Messe Frankfurt GmbH accepts no liability for the accuracy of the dimensions. All data and dimensions must be checked on site. ©V 31